





Jaworzno, 05.09.2016

Turbo-Tec Sp. z o.o. UI. Elizy Orzeszkowej 2H 43-600 Jaworzno

OFFER INQUIRY NO. 1/17/2016

We request a presentation of a commercial offer as a part of Project supported by a grant from Norway through the Norwegian Financial Mechanism 2009-2014, in the frame of Green Industry Innovation Programme Poland. Concerning the tender procedure for the realisation of the "Innovative line for the regeneration of car components – green industry - Poland project; performed according to the Minister of Infrastructure and Development guideline in procurement procedures of EEA Grants 2009-2014 and Norway Grants 2009-2014, which are not subject of law from 29.01.2004 – Polish Public Procurement Law.

I. The Customer

Turbo-Tec Sp. z o.o.

UI. Elizy Orzeszkowej 2H 43-600 Jaworzno

The person, who provides detailed information on the subject of the contract:

Mr. Konrad Kozieł

Mobile+48602660211

Turbo - Tec is a company dedicated to the regeneration of automotive components. In cooperation with the investment co-financed by the Norway Grants, Turbo - Tec will expand its range of new products and services in the field of regeneration of steering gears, automatic gearboxes, air conditioning compressor and fuel equipment. For more information about the company and conditions of the tender please visit our website www.turbo-tec.eu.

II. Subject of the contract

The subject of the contract is:

3 technical tables instrumentation to repair the steering gear and tool cabinet with sliding doors, trolleys

Table with 1 drawer block x 1

Lighting modules 2000 mm GARANT RAL 7016 pieces 1

A pair of brackets to support pillars GARANT RAL 7016 pieces 1

Pillars - a pair of 1365 mm GARANT RAL 7016 pieces 1

The walls of perforated steel sheet, single-sided 2000 GARANT RAL 7016 2

pieces

Rails media for self-equipment of 2000 mm GARANT RAL 7016

pieces 1

Modules FR250V / 2 GARANT RAL 7016 2 pieces

Modules ON / OFF1 GARANT RAL 7016 pieces 1

Modules STOP GARANT RAL 7016 pieces 1

Modules AIR GARANT RAL 7016 2 pieces

Handle your monitor GARANT pieces 1

Worktop sheet steel thickness 2 mm dimensions: 2000x700x50 mm pieces 1

Skirting the housing blocks of drawers 600 x 630 mm 80 mm GARANT RAL 7016

pieces 1

Housing block of drawers, without drawers 720 x m RAL 7016 pieces 1

Drawers on roller guides with 60 mm GARANT RAL 3003 pieces 1

Drawers on roller guides with 100 mm GARANT RAL 3003 pieces 1

Drawers on roller guides with 140 mm GARANT RAL 3003 pieces 4

Segments of legs, height. 880 mm 660 mm GARANT RAL 7016 pieces 1

Housing side segments of the legs 660 mm GARANT RAL 3003 pieces 1

Table with 2 drawers blocks x 1

Lighting modules 2000 mm GARANT RAL 7016 pieces 1

A pair of brackets to support pillars GARANT RAL 7016 pieces 1

Pillars - a pair of 1365 mm GARANT RAL 7016 pieces 1

The walls of perforated steel sheet, single-sided 2000 GARANT RAL 7016 2

pieces

Rails media for self-equipment of 2000 mm GARANTRAL 7016

pieces 1

Modules FR250V / 2 GARANTRAL 7016 pieces 2

Modules ON / OFF1 GARANT RAL 7016 pieces 1

Modules STOP GARANT pieces 1

Modules AIR GARANT RAL 7016 2 pieces

Handle your monitor GARANT pieces 1

Worktop sheet steel thickness 2 mm dimensions: 2000x700x50 mm pieces 1

Skirting the housing blocks of drawers 600 x 630 mm 80 mm GARANT RAL 7016

pieces 1

Housing block of drawers, without drawers 720 x m RAL 7016 pieces 1

Drawers on roller guides with 60 mm GARANT RAL 3003 pieces 1

Drawers on roller guides with 100 mm GARANT RAL 3003 pieces 1

Drawers on roller guides with 140 mm GARANT RAL 3003 pieces 4

Housing block of drawers, without drawers 720 m X units 1

Plinth blocks drawers 80 mm 80 mm GARANT RAL 7016 pieces 1

Drawers on roller guides with 100 mm GARANT RAL 3003 pieces 3

Drawers on roller guides with 140 mm GARANT RAL 3003 pieces 3

wardrobe 1500x700

Cabinets large capacity with tin door 1500 / F GARANT doors RAL 3003, housing

RAL 7016 pieces 1

Shelves with brackets, load capacity 100 kg 750 mm GARANT pieces 2

Table warszt.atowy 2000x700

Light modules with a switch 2000 pieces 1

/ Off 2000 mm GARANT

Arm function to support pillars, a couple of pieces T 1

Pillars, para 1,365 mm pieces 1

The wall of perforated sheet steel jednednostronne 2000 GARANTsztuk 2

Energy block of steel pieces 1

Table top 2000x700x50 mm Beech multiplex-lined stainless steel 2 mm pieces 1

Segments of legs 660 mm RAL 7016 pieces 1

Housing side segments of the legs 660 mm NT RAL 7016 pieces 1

Bracket segments legs RAL 7016 2 pieces

Blocks of drawers complete with drawers (door) 7A GARANT

Drawers RAL 3003, housing RAL 7016 pieces 1

Plinth blocks drawers 80 mm 80 mm GARANT RAL 7016 pieces 1

trolleys

High stool with pressing shoes and hoop 3 pieces

Rails hardware with 2 hooks 2000 mm 0 mm GARANT pieces 2

Suspension 2.5 kg 2 pieces

Instrumentation / tools:

Bench hammers with protective collar shank 500 g GARANT 5 pieces

Key flat-drawn ratchet 17 mm GARANT pieces 2

Key flat-drawn / ratchet 18 mm GARANT pieces 2

Key flat-drawn / ratchet 19 mm GARANT pieces 2

Key flat-drawn / ratchet 22 mm GARANT pieces 2

Key flat-drawn / ratchet 24 mm GARANT pieces 2

Strong cutting pliers, side, polished 160 mm KNIPEX pieces 1

Screwdrivers for Torx screws with # Handle TX27 FACOM pieces 1

Screwdrivers for Torx screws #, with T handle TX30 FACOM pieces 1

Sockets Hexagon 1/2 # 10 mm STAHLWILLE pieces 1

Sockets Hexagon 1/2 # 13 mm STAHLWILLE pieces 1

642 200 15

```
Sockets Hexagon 1/2 # 15 mm STAHLWILLE pieces 1
      Sockets Hexagon 1/2 # 20 mm STAHLWILLE pieces 1
      Workshop lamps LED battery and charger 3 pieces SCANGRIP 1
      Keys oczkowo-flat, long version 10 mm GARANT pieces 1
      Keys oczkowo-flat, long version 12 mm GARANT pieces 1
      Keys oczkowo-flat, long version 14 mm GARANT pieces 1
      Keys oczkowo-flat, long version 17 mm GARANT pieces 1
      Keys oczkowo-flat, long version 19 mm GARANT pieces 1
      Keys oczkowo-flat, long version 22 mm GARANT pieces 1
      Keys oczkowo-flat, long version 24 mm GARANT pieces 1
      Sockets Hex, 1/2 #, long 15 mm GARANT pieces 1
      Key flat-drawn / ratchet 10 mm GARANT pieces 2
      Keys oczkowo-flat 13 mm GARANT pieces 1
      Sockets Hex, 3/8 # 10 mm GARANT pieces 1
      Scr pieces 1
      Pliers with chrome caps dwukomponentowymi 180 mm GARANT pieces 1
      Caps Sockets grip E 6.3, with magnetic pieces 3
      Caps Sockets grip E 6.3, with magnetic pieces 2
      Caps Sockets grip E 6.3, with magnetic pieces 1
      A set of keys shank, angular, for Torx screws # 9 Facom units 1
      Allen screwdriver set, with the tip spherical fosfatowanych 5 Facom units 1
      Side cutting pliers, chrome-plated 160 mm pieces 1
      Pliers chrome-plated 180 mm Facom units 1
      Pliers flat-round, straight, chrome 200 mm Facom
      Net weight: 0.211 kg pieces 1
      Screwdriver set workshop, sześcioelementowy, flat and Phillips 4/2 GARANT
   pieces 1
      Pliers Set Precision Circlip internal four-piece units 1
      Pliers Set Precision Circlip external
      four-piece units 1
      Socket Wrench Set, 1/4 ", czterokątny pieces 1
      Key flat-drawn / ratchet 15 mm GARANT pieces 1
      IMPACT Sockets Hexagon 1/2 # 13mm long pieces HOLEX 1
      IMPACT Sockets Hexagon 1/2 # 14mm long pieces HOLEX 1
      IMPACT Sockets Hexagon 1/2 # 15mm long pieces HOLEX 1
      IMPACT Sockets Hexagon 1/2 # 16mm long pieces HOLEX 1
      IMPACT Sockets Hexagon 1/2 # 17 mm long pieces HOLEX 1
      IMPACT Sockets Hexagon 1/2 # 19mm long pieces HOLEX 1
      IMPACT Sockets Hexagon 1/2 # 22mm long pieces HOLEX 1
      IMPACT Sockets Hexagon 1/2 # 24mm long pieces HOLEX 1
      IMPACT Sockets Hexagon 1/2 # 27mm long pieces HOLEX 1
      Punches, high quality, chrome, top blade with HM 120/10 mm PB SWISS TOOLS
      pieces 1
Pneumatic screwdrivers Impact Compact 3/8 # # 1/2 # 7732 CHICAGO PNEUMATIC
pieces 1
      Bits of the impactor, Torx, 1/4 C # 6.3 TX40 WER A 10-pack
      Micrometers for external measurements MITUTOYO pieces 0-25mm 1
      Screwdriver with cross grip, short screws Torx # TX15 pieces 4 HOLEX
      Shank brushes wire - copper wire 0.20 mm 40x10 mm LESSMANN
      arts 1
      Shank wire brush copper wire 0.20 mm 60X15 mm LESSMANN
      Shank wire brush copper wire 0.20 mm 70X16 mm LESSMANN
      arts 1
```

Shank wire brush steel wire, brass 0.25 mm 50x10 mm LESSMANN pieces 1 Shank wire brushes mikrościeające grain SiC 320 pieces 50x10 mm LESSMANN

1

Mikrościerajace brush pipe (SiC), grain 120 20 mm LESSMANN pieces 1 BLOW GUN, material mounted with a permanent tube 90 mm CEJN 6 pieces Sets of keys shank, angular, for Torx screws # 9 Facom units 1

Sets of keys hexagonal shank pieces 1

Key Sets oczkowo-flat wersjaa long STAHLWILLE 18 pieces 1

The precise set of pliers pierścienych, a set of eight-piece to the rings Arts 1

Kit Pick-Set, a four-piece, in a case 4 pieces 1 WISS TOOLS

Cutters, laying flat pieces of 200 mm 2

Cutters Masonry sharpened pieces of 250 mm 2

Sets punches pins with a handle 5 Facom units 1

Sets punches pins with a handle 4 pieces 1 Facom

Bench hammers with protective collar 300 g GARANT shank pieces 1

Bench hammers with protective collar 800 g GARANT shank pieces 1

Hammers with interchangeable obuchami plastic (hard, white) 40G mm HALDE

pieces 1

Screwdriver set workshop, a six-piece, flat and Phillips 4/2 GARANT pieces 1 Ticks operated with one hand, with a handle zaluminium 1.1 / 2 inch pieces 1

HOLEX

Keys oczkowo - flat, 10 mm pieces 2

Keys oczkowo - flat, 12 mm pieces 2

Impact Wrenches Battery M12CID ILWAUKEE pieces 1ewdriver sets workshop flat and

Phillips 4/2 PB SWISS TOOLS

Cordless drills M12CDD 4 MILWAUKEE 6 pieces

Impact Wrenches Pneumatic 3/8 # # 1/2 # 7749 CP units 1

Set of elements for the distribution of 148-element f No. 943211, size 900 / 7S 900 / 6S

GARANT 6 pieces

Parameters not worse than: mentioned above

III. Patrial tenders

It is not allowed

IV. The possibility of subcontracting

The ordering party allows for the possibility of subcontracting a part or the whole of the order.

I. Offer preparation

The offer should:

- have the date of preparation and expiry date,
- include the address or head office of the tenderer,
- include tax identification number of the tenderer,
- specify the net value of the order,
- include signature and a stamp of the tenderer

The offer should be made to the **Attachment No. 1**.

II. Offer evaluation criteria

The Ordering party will chose the offer on the basis of comparing the prices (net value) in the 0-1 mode, where the offer with the lowest price will receive 1 point, while the worse offers will receive 0 points. The price criteria is 100% of the tender. In the case of two or more offers having the same price, the determining factor shall be the date of the offer submission. The offer submitted first will receive 1 point.

III. Cancelling the offer

The tenderer, before the date of choosing the supplier, may change or cancel the offer.

IV. Place and date of submitting offers

- 1. The offer may be submitted through:
 - post, courier services or in person:
 Turbo-Tec Sp. z o. o., ul. Elizy Orzeszkowej 2H, 43-600 Jaworzno
 - electronic mail to the e-mail address: kkoziel@turbo-tec.eu
- 2. The choice of the tenderer will take place on 16.09.2016
- 3. The offers should be submitted until the day of 15.09.2016
- 4. The offers submitted after this date will not be considered.

V. Announcement of inquiry results.

The Announcement of inquiry results will be held on Customer's web site or will be sent to each contractor which presented the offer.

ATTACHMENT No 1

_		
	^	
	u	

Turbo-Tec Sp. z o.o. UI. Elizy Orzeszkowej 2H 43-600 Jaworzno

OFFER

•	, <u>w</u>	<u>vith</u>	<u>parameters</u>	not	worse	than	given	in	the	query	no.	//	2016	of	
	<u></u>														
rer'	s data:														

Tenderer's data:.....
Name of the tenderer:.....

Company address/registered office:.....

Tax identification number:.....

OFFER: 1. Price criterion

No.	Task description	quantity	Net value price (in Euro)
1.			
	TOTAL		

Total offer price:
The contact person for the offer:
Name, surname
Phone number:
E-mail address:
Date of preparation
The offer is valid until:

Signature and stamp of the tenderer